



CARDIOTOMY RESERVOIR WITH FILTER 2000ml

Touching Hearts. Saving lives...



ISO 9001:2015 Certified for Design, Manufacturing and Supply
ISO 13485:2016 Certified Medical Devices Platform
CE Marked Medical Devices



CARDIOTOMY RESERVOIR WITH FILTER 2000ml

SPECIFICATIONS

Housing	: Polystyrene
Weight	: 530 g. Approx
Blood Storage Capacity	: 2000 ml.
Blood Flow Rate	: 8 litres per minute, maximum
Prefilter	: High Density Polyethylene (HDPE)
Filter	: Non-Woven Polypropylene
Min. efficiency at 37 micron level	: 95%
Defoamer	: Siliconised HDPE
Max. Rated Negative Pressure	: 300 mm of Hg
Blood inlet port	: 3 nos. 1/4"
Blood outlet port	: 3/8"
Air vent port	: One large vent for quick suction / Venting
Priming Port	: Two direct and two through filters, all provided with female luer

- Suitable for Vacuumed collection under suction. (Read Instruction sheet)
- Distributed defoaming offers least haemolysis



E-mail: enquiry@spictra.com
Web: www.spictra.com

Designed, Developed, Manufactured & Marketed by:

MEDIHUB SCIENCETEC PRIVATE LIMITED
Plot No:4, NH-7, MMDA Industrial Estate
Maraimalai Nagar - 603 209, Tamilnadu, India
Tel: +91 44 4740 0478, Fax: +91 44 4740 0484

In Collobration with SCTIMST, Trivandrum

CUSTOMER CARE - **1800 102 2032**